




VELCRO® Brand

# Product Line

# AMAZING CONNECTIONS™



## Index

Click to go to the Section

Click to go to the Subsection 2

Click to go to the Product

VELCRO	
	<b>Textile Hook &amp; Loop Tapes</b> 5
	<b>Plastic Hook Tapes</b> 15
	<b>Self-engaging Hook &amp; Loop Tapes</b> 25
	<b>Specialties</b> 33
	<b>Converted Products</b> 45
	<b>Complementary Information</b> 55

<b>HOOK</b> <b>Woven Hooks</b> Hook 088 7 Hook PSI 7 Hook PSI IR 7 Hook 066 HI-AIR® 7 Hook 081 Polyester 8  <b>Woven Multistrips</b> VEL-LOC® 180 8 SUPER VEL-LOC® 180 8 SUPER VEL-LOC® Quasitubal 8  <b>LOOP</b> <b>Woven Loops</b> Loop 001 9 Loop Phe-mesh 9 Loop 002 10 Loop PSI 11 Loop PSI IR 11 Loop 003 HI-AIR® 11 Loop 000 Polyester 12 VEL-LOC® 12  <b>Knitted Loops</b> Velour 401 12 Velour 210 Standard 13 Velour 3804 Light 13 Velour 3900 13 Velour 3200 13  <b>Nonwoven Loops</b> FRL 251 14 FRL 403 14	<b>HOOK</b> <b>Shape 20</b> Hook 720 17 Hook 822 17 Hook 822 17  <b>Shape 22</b> Hook 722 17 Hook 742 18 Hook 766 18 Hook 805 18 Hook 811 18 Hook 866 19  <b>Shape 24</b> Hook 733 19 Hook 733 19 Hook 750 19 Hook 800 C 20  <b>Shape 29</b> Hook 790 20 Hook 830 20 Hook 833 20 Hook 839 21  <b>Shape 36</b> Hook 734 21  <b>Shape 37</b> Hook 810 21  <b>Shape 108</b> Hook 798 22 Hook 847 22  <b>SELF-ENGAGING HOOK</b> <b>Shape 233</b> PRES-LOCK® 731 (10mm PS-32) 23  <b>Shape 241</b> PRES-LOCK® 241 (PS-30) 23	<b>HOOK &amp; LOOP ON OPPOSITE SIDES</b> <b>Full width Hook coverage</b> Double Face 200 27 Back to Back Hook & Loop 27 ONE-WAY® 29 BUNDLES T.C. 27  <b>Single Hook Area</b> FLEX-ZONE™ Hook 703 28 FLEX-ZONE™ Hook 798 28 FLEX-ZONE™ Hook 797 29 FLEX-ZONE™ Hook 898 30  <b>HOOK &amp; LOOP ON THE SAME SIDE</b> <b>Hook &amp; Loop mixed</b> OMBO-TAPE™ 30  <b>Hook &amp; Loop side by side</b> Side by Side Standard 31 Side by Side (PS-14) 31	<b>MEDICAL</b> <b>Double faced Loops and Laminates</b> Back to Back Velour 3165 36 VEL-LOC® 36 EASY-CUT (PS-32, 35x12mm) 36 EASY-CUT (PS-30, 35x12mm) 36 PRES-LOCK® 731 (PS-32, 20x10mm) 36  <b>High frequency weldable</b> Hook 866 36 Loop 8607 36  <b>Antibacterial</b> Hook 088 Antibacterial 37 Loop 002 Antibacterial 37 Hook 805 Antibacterial 37  <b>PACKAGING &amp; MATERIALS HANDLING</b> <b>Flexible Packaging</b> PRES-LOCK® 775 38 PRES-LOCK® 776 38 PRES-LOCK® 779 38 Hook & Seal Closure (PS-35) 38 Hook & Seal Closure (PS-35) 38  <b>PERSONAL CARE</b> <b>Diaper Tabs</b> Hook 701 40  <b>TRANSPORTATION</b> <b>AUTOMOTIVE</b> <b>Sealing Hooks</b> DCS 20 41 DCS 34 41 DCS 36 41 DCS 38 NW 41 WGG 15-1 41 WFG 41 Flex WGG 41 402 41  <b>Sealing Loops</b> Loop Auto Standard 42 Loop Auto WGG 42  <b>Interior Parts</b> Rear Hook 42  <b>Protection &amp; Handling</b> Velour PS-07 42	<b>SHAPES</b> VEL-LOC® 47 VEL-LOC® 47 EASY-CUT (PS-32, 35x12mm) 47 EASY-CUT (PS-30, 35x12mm) 47 PRES-LOCK® 731 (PS-32, 20x10mm) 47  <b>STRAPS</b> VEL-LOC® Fastening, Bucklestrap 49 VEL-LOC® Strap 51 Suture Strap 52 LogStrip® 53  <b>Hook &amp; Loop Color Capabilities</b> 57 <b>Plastic Hook Straps</b> 59 <b>Adhesives</b> 60 <b>Joining &amp; Printing</b> 61 <b>Converting &amp; Packaging</b> 63
--	--	---	---	--

3

## Section covers


Click here to go back to the Index



## Product pages

Click here to go back to the Index

Icon's reference





VELCRO® Brand

# Product Line

- **Textile Hook & Loop Tapes**
- **Plastic Hook Tapes**
- **Self-engaging Hook & Loop Tapes**
- **Specialties**
- **Converted Products**
- **Complementary Information**



Textile Hook & Loop Tapes

HOOK

Woven Hooks

- Hook 088
- Hook PSI
- Hook PSI IR
- Hook 066 HI-AIR®
- Hook 081 Polyester

Woven Mushrooms

- VEL-LOC® 085
- SUPER VEL-LOC® 083
- SUPER VEL-LOC® Quadrilobal

LOOP

Woven Loops

- Loop 001
- Loop Pre-shrunk
- Loop 002
- Loop PSI
- Loop PSI IR
- Loop 003 HI-AIR®
- Loop 9000 Polyester
- VELSTRETCH®

Knitted Loops

- Velour 401
- Velour 3165 Standard
- Velour 3894 Light
- Velour 3969
- Velour 3200

Nonwoven Loops

- FNL 251
- FNL 403



Plastic Hook Tapes

HOOK

Shape 20

- Hook 720
- Hook 820
- Hook 822

Shape 22

- Hook 722
- Hook 742
- Hook 766
- Hook 805
- Hook 811
- Hook 866

Shape 24

- Hook 733
- Hook 751
- Hook 759
- Hook MVA8-E

Shape 29

- Hook 790
- Hook 830
- Hook 835
- Hook 839

Shape 36

- Hook 736

Shape 97

- Hook 819

Shape 108

- Hook 798
- Hook 847

SELF-ENGAGING HOOK

Shape 233

- PRES-LOK® 731 (10mm PS-32)

Shape 241

- PRES-LOK® 241 (PS-30)



Self-engaging Hook & Loop Tapes

HOOK & LOOP ON OPPOSITE SIDES

Full width Hook coverage

- Double Face 200
- Back to Back Hook & Loop
- ONE-WRAP® 29
- BUNDLE TIE

Single Hook lane

- FLEX-ZONE™ Hook 703
- FLEX-ZONE™ Hook 796
- FLEX-ZONE™ Hook 797
- FLEX-ZONE™ Hook 898

HOOK & LOOP ON THE SAME SIDE

Hook & Loop mixed

- OMNI-TAPE®

Hook & Loop side by side

- Side by Side Standard
- Side by Side (PS-14)



Specialties



MEDICAL

Double faced Loops and laminates

- Back to Back Velour 3165
- VELWRAP®
- EVAPTEX™

High frequency weldable

- Hook 848
- Loop 3607

Antibacterial

- Hook 088 Antibacterial
- Loop 001 Antibacterial
- Hook 805 Antibacterial



PACKAGING & MATERIALS HANDLING

Flexible Packaging

- PRESS-LOK® 775
- PRESS-LOK® 776
- PRESS-LOK® 779
- Touch & Seal Closure (Weldable)
- Touch & Seal Closure (PS-35)



PERSONAL CARE

Diaper TABs

- Hook 701



TRANSPORTATION

AUTOMOTIVE

Seating Hooks

- DCS 20
- DCS 24
- DCS 36
- DCS 36 NW
- MIGG 15
- MIGG 15-1
- HF3
- Flex-MIGG
- 4Gi

Seating Loops

- Loop Auto Standard
- Loop Auto MIGG

Interior Parts

- Burr Hook

Protection & Handling

- Velour PS-07



Converted Products

SHAPES

- VELCOIN®
- VELSQUARE®
- Easy Coin (PS-32, 35x12mm)
- Easy Coin (PS-30, 35x35mm)
- PRESS-LOK® 731 (PS-32, 20x10mm)

STRAPS

- VELSTRAP®, Facestrap, Backstrap
- ONE-WRAP® Strap
- FLEX-ZONE™ Strap
- System Strap
- LogiStrap®



Complementary Information

- Hook & Loop Colour Capabilities
- Plastic Hook Shapes
- Adhesives
- Joints & Printing
- Converting & Packaging





VELCRO® Brand

# Textile Hook & Loop Tapes



VELCRO® Brand

## Hook 088

- **Base material:** Polyamide
- **Standard colours:** Hook 088 & Loop 001 colour chart
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 107, 150
- **Standard put-ups:** 25m rolls, consumer boxes, spools
- **Suggested mating component:** Loop 001
- **Cycle life:** High



### Main applications

Apparel, cable management, panels, orthopaedics, seat trim, aviation, furnishing, straps.

Other applications requiring high cycle life closure.



VELCRO® Brand

## Hook PSI

- **Base material:** Polyamide
- **Standard colours:** Black, white, nato green, navy blue, royal blue
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 105
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop PSI
- **Cycle life:** High



### Main applications

Professional apparel (military, firefighters...), reusable diapers.

Other applications requiring high temperature washing resistance or low shrinkage.



VELCRO® Brand

## Hook PSI IR

- **Base material:** Polyamide
- **Standard colours:** Nato green, beige, coyote green
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 105
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop PSI IR
- **Cycle life:** High



### Main applications

Professional apparel (military, firefighters...), mops.

Applications requiring infrared resistance.




VELCRO® Brand

## Hook 066 HI-AIR®

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyamide, NOMEX® fibers¹
- **Standard colours:** Natural
- **Standard widths (mm):** 25.4 (1"), 50.8 (2")
- **Standard put-ups:** 45.72m (50 yd) rolls
- **Suggested mating component:** Loop 003 HI-AIR®
- **Cycle life:** Medium



### Main applications

Self-extinguishing garments, military apparel, transportation interiors.



¹ NOMEX® is a Reg. TM of E.I. du Pont de Nemours and Company.

## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

## Hook 081 Polyester

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyester
- **Standard colours:** Black, white, camouflage green
- **Standard widths (mm):** 25.4 (1”), 50.8 (2”), 101.6 (4”)
- **Standard put-ups:** 45.72m (50 yd) rolls
- **Suggested mating component:** Loop 9000 Polyester
- **Cycle life:** Medium



### Main applications

Apparel, outdoor applications.  
Other applications requiring weather (moist, UV...) resistance.



## VEL-LOC® 085

- **Base material:** Polyester, polypropylene
- **Standard colours:** VEL-LOC® 085 & VELOUR 3165 colour chart
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 125, 160, 190
- **Standard put-ups:** 25m rolls, consumer boxes, spools
- **Suggested mating components:** Velour 3165, Velour 3894
- **Cycle life (Velour 3165):** Medium



### Main applications

Apparel, polishing discs, carpet installation, tracheostomy straps, seat trim, aviation, helmets, molding, upholstery.



## SUPER VEL-LOC® 083

- **Base material:** Polyester, polypropylene
- **Standard colours:** Black, white, beige, grey
- **Standard widths (mm):** 16, 20, 30, 50, 100
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop 001
- **Cycle life:** Medium / Low



### Main applications

Carpeting, construction, display panels, molding.



## SUPER VEL-LOC® Quadrilobal

- **Base material:** Polyester, polypropylene
- **Standard colours:** Black, white
- **Standard widths (mm):** Maximum 111
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop 001
- **Cycle life:** Low



### Main applications

Building, indoor accessories.  
Other applications requiring an aggressive closure and low cycle life closure.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand  
Loop 001

- **Base material:** Polyamide
- **Standard colours:** Hook 088 & Loop 001 colour chart
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 107, 150
- **Standard put-ups:** 25m rolls, consumer boxes, spools
- **Suggested mating component:** Hook 088
- **Cycle life:** High




**Main applications**

Apparel, cable management, panels, polishing disc, orthopaedics, seat trim, aviation, mops, furnishing, straps.  
Other applications requiring high cycle life closure.



VELCRO® Brand  
Loop Pre-shrunk

- **Base material:** Polyamide
- **Standard colours:** White
- **Standard widths (mm):** 20, 100
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Hook 088, VELSTICK®, EDGECLIP®
- **Cycle life (Hook 088):** High



**Main applications**

Mops, reusable diapers.  
Other applications requiring low shrinkage.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand  
Loop 002

- **Base material:** Polyester, polyamide
- **Standard colours:** Royal blue, white, grey, red, green, yellow
- **Standard widths (mm):** 105
- **Standard put-ups:** 100m rolls
- **Suggested mating component:** Hook PSI, Hook 805, Hook 088
- **Cycle life (Hook PSI):** High



Main applications

Mops.  
Other applications requiring low shrinkage.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand

## Loop PSI

- **Base material:** Polyamide
- **Standard colours:** Black, white, nato green, navy blue, royal blue
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 105
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Hook PSI
- **Cycle life:** High



### Main applications

Professional apparel (military, firefighters...), reusable diapers, mops.

Other applications requiring high temperature washing resistance.



VELCRO® Brand

## Loop PSI IR

- **Base material:** Polyamide
- **Standard colours:** Nato green, beige, coyote green
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 105
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Hook PSI IR
- **Cycle life:** High



### Main applications

Professional apparel (military, firefighters...), mops.

Applications requiring infrared resistance.



VELCRO® Brand

## Loop 003 HI-AIR®

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyamide, NOMEX® fibers¹
- **Standard colours:** Natural
- **Standard widths (mm):** 25.4 (1"), 50.8 (2")
- **Standard put-ups:** 45.72m (50 yd) rolls
- **Suggested mating component:** Hook 066 HI-AIR®
- **Cycle life:** Medium



### Main applications

Self-extinguishing garments, military apparel, transportation interiors.



¹ NOMEX® is a Reg. TM of E.I. du Pont de Nemours and Company.

## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	H&L HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	V&V VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

## Loop 9000 Polyester

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyester
- **Standard colours:** Black, white, camouflage green
- **Standard widths (mm):** 25.4 (1"), 50.8 (2"), 101.6 (4")
- **Standard put-ups:** 45.72m (50 yd) rolls
- **Suggested mating component:** Hook 081 Polyester
- **Cycle life:** Medium



### Main applications

Apparel, outdoor applications.

Other applications requiring weather (water, UV...) resistance.



VELCRO® Brand

## VELSTRETCH®

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyamide, elastomer
- **Standard colours:** Black, white, beige, navy blue, raw
- **Standard widths (mm):** 15.88 (5/8"), 19.01 (3/4"), 25.4 (1"), 38.1 (1-1/2"), 50.8 (2")
- **Standard put-ups:** 36.58m (40 yd) rolls
- **Suggested mating components:** Hook 088, Hook 805, Hook 830, Hook 839
- **Cycle life (Hook 088):** Medium



### Main applications

Elastic straps, fetal monitor, headgear, orthopaedic immobilizers, straps.



VELCRO® Brand

## Velour 401

- **Base material:** Polyamide
- **Standard colours:** Black, white, grey, raw
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 125, 1500
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Hook 088
- **Cycle life:** High



### Main applications

Technical apparel, back belt supports, orthopaedics.

Other applications requiring high cycle life.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

## Velour 3165 Standard

- **Base material:** Polyamide
- **Standard colours:** VEL-LOC® 085 & VELOUR 3165 colour chart
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 125, 1400
- **Standard put-ups:** 25m rolls, 51m rolls (1400mm width)
- **Suggested mating component:** VEL-LOC® 085
- **Cycle life:** Medium



### Main applications

Apparel, orthopaedic braces, materials handling, automotive anti-rattle applications, seat trim, moulding, upholstery, indoor decoration.



VELCRO® Brand

## Velour 3894 Light

- **Base material:** Polyamide
- **Standard colours:** Black, white, grey, raw
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 125, 1400
- **Standard put-ups:** 25m rolls, 51m rolls (1400mm width)
- **Suggested mating component:** VEL-LOC® 085
- **Cycle life:** Medium



### Main applications

Apparel, colostomy, sensor straps, materials handling, moulding, upholstery, indoor decoration.



VELCRO® Brand

## Velour 3969

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 16, 20, 25, 30, 38, 50, 100, 125, 1400
- **Standard put-ups:** 25m rolls, 51m rolls (1400mm width)
- **Suggested mating components:** VEL-LOC® 085, Hook 742
- **Cycle life (VEL-LOC® 085):** Medium / Low



### Main applications

Apparel, medical disposable, surgical gowns, single use straps, packaging, moulding, upholstery.




VELCRO® Brand

## Velour 3200

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyester
- **Standard colours:** White
- **Standard widths (mm):** 20, 25, 30, 40, 50, 70, 100, 1500
- **Standard put-ups:** 50m rolls, 51m rolls (1500mm width)
- **Suggested mating components:** VEL-LOC® 085, Hook 742
- **Cycle life (VEL-LOC® 085):** Low



### Main applications

Disposable apparel, surgical gowns, moulding.  
Other disposable applications.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION



SPECIALTIES

VELCRO® Brand  
FNL 251

★★★★★  
MADE IN USA  
★★★★★

- **Base material:** Polypropylene, polyester
- **Standard colours:** White
- **Standard widths (mm):** Min.: 101.6 (4") / Max.: 3,048 (120")
- **Standard put-ups:** 3,600m rolls
- **Suggested mating component:** Hook 819, Hook 847
- **Cycle life (Hook 819):** Low



**Main applications**

Roofing / insulating membranes, surgical drapes and gowns, baby diapers.  
Other disposable applications.



VELCRO® Brand  
FNL 403

★★★★★  
MADE IN USA  
★★★★★

- **Base material:** Polypropylene
- **Standard colours:** White
- **Standard widths (mm):** Min.: 101.6 (4") / Max.: 3,048 (120")
- **Standard put-ups:** 3,600m rolls
- **Suggested mating component:** Hook 847
- **Cycle life:** Low



**Main applications**

Roofing / insulating membranes, surgical drapes and gowns, baby diapers.  
Other disposable applications.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

# Plastic Hook Tapes

VELCRO® Brand  
Plastic Hook Tapes





VELCRO® Brand

## Hook 720

- **Base material:** Polyamide 6.6 / Backing: Polyester (Velour 3200)
- **Standard colours:** Black
- **Standard widths (mm):** 320
- **Standard put-ups:** 50m rolls
- **Suggested mating components:** Loop 001
- **Cycle life:** High



### Main applications


Polishing discs, moulding.



VELCRO® Brand

## Hook 820

- **Base material:** Polyamide 6.6 / Without backing
- **Standard colours:** Black, white
- **Standard widths (mm):** 50
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Loop 001
- **Cycle life:** High



### Main applications

Cardboard trays.


Other applications requiring good foam adhesion or high strength.



VELCRO® Brand

## Hook 822

- **Base material:** Polypropylene / Without backing
- **Standard colours:** White
- **Standard widths (mm):** 64
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Loop 001
- **Cycle life:** High



### Main applications

Cardboard trays.

Other applications requiring heavy duty closure.



VELCRO® Brand

## Hook 722

- **Base material:** Polyamide 6.6 / Backing: Polyester (Velour 3200)
- **Standard colours:** Black
- **Standard widths (mm):** 320
- **Standard put-ups:** 50m rolls
- **Suggested mating component:** Velour 3165
- **Cycle life:** High



### Main applications

Polishing discs, moulding.

Other applications requiring good foam adhesion or high shear strength.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION



SPECIALTIES

VELCRO® Brand

## Hook 742

- **Base material:** Polypropylene / Backing: Polypropylene (Nonwoven)
- **Standard colours:** Black, white, beige
- **Standard widths (mm):** 16, 20, 30, 38, 50, 107
- **Standard put-ups:** 50m rolls, 400m spools (16, 20mm)
- **Suggested mating components:** Loop 001, Velour 3165
- **Cycle life:** Medium / Low



### Main applications

Apparel, disposable garments, sofa covers, furnishing.  
Other sewable applications.



VELCRO® Brand

## Hook 766

- **Base material:** Polypropylene / Backing: Polyester (Velour 3200)
- **Standard colours:** Black, white
- **Standard widths (mm):** 160, 320
- **Standard put-ups:** 50m rolls
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium



### Main applications

Polishing disc, moulding.



VELCRO® Brand

## Hook 805

- **Base material:** Polyamide 12 / Without backing
- **Standard colours:** Black, white
- **Standard widths (mm):** 107, 320
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3165
- **Cycle life:** High



### Main applications

Polishing discs, headgears, orthopaedic braces, helmets, moulding.  
Other applications requiring high sewing resistance, high frequency weldability, high cycle life closure.



VELCRO® Brand

## Hook 811

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyethylene / Without backing
- **Standard colours:** Black, white
- **Standard widths (mm):** 320
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium



### Main applications

Medical disposable, sterilizable goods, single use straps.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand

## Hook 866

- **Base material:** Polypropylene / Without backing
- **Standard colours:** Black, white, natural
- **Standard widths (mm):** 107 (black and white), 110, 320 (natural)
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium



### Main applications

Carpet fixation, DVT, surgical drapes, rigid packaging, helmets, displays.



VELCRO® Brand

## Hook 733

- **Base material:** Polyethylene / Without backing
- **Standard colours:** Black
- **Standard widths (mm):** 107
- **Standard put-ups:** 90m rolls
- **Suggested mating component:** Loop 001, Velour 401
- **Cycle life (Loop 001):** Medium



### Main applications

Photovoltaic panels, outdoor applications.

Other applications requiring high strength performance, waterproof and UV resistance.



VELCRO® Brand

## Hook 751

- **Base material:** Polyamide 6.6 / Without backing
- **Standard colours:** Black, natural
- **Standard widths (mm):** 107, 320
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop 001
- **Cycle life:** High / Medium



### Main applications


Fixation of protectors in technical or sport apparel, seat accessories, ventilation systems.



VELCRO® Brand

## Hook 759

- **Base material:** Polyamide 6.6 / Backing: Polyester (Velour 3200)
- **Standard colours:** Black
- **Standard widths (mm):** 320
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop 001
- **Cycle life:** High / Medium



### Main applications

Polishing discs, seating.

Other applications requiring good foam adhesion or high shear strength.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK & WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM & LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK & LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK & NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001 COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165 COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY & GOVERNMENT



PACKAGING & MATERIALS HANDLING



PERSONAL CARE



TRANSPORTATION



SPECIALTIES



VELCRO® Brand

## Hook MVA8-E

- **Base material:** Polyamide 6.6 / Without backing
- **Standard colours:** Black, natural
- **Standard widths (mm):** 25
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Loop 001
- **Cycle life:** High / Medium



### Main applications

Automotive carpet fixation, moulding.



VELCRO® Brand

## Hook 790

- **Base material:** Polypropylene / Backing: Polypropylene (Nonwoven)
- **Standard colours:** Black, white
- **Standard widths (mm):** 50
- **Standard put-ups:** 150m rolls
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium / Low



### Main applications


Sofa covers, sewing applications.



VELCRO® Brand

## Hook 830

- **Base material:** Polypropylene / Without backing
- **Standard colours:** Black, white, natural
- **Standard widths (mm):** 107, 320
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium / Low



### Main applications

Medical disposable, colostomy bags, cardboard trays, stationery gift packaging, baby diapers, head rest covers.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand

## Hook 835

- **Base material:** Polyamide 6.6 / Without backing
- **Standard colours:** Black
- **Standard widths (mm):** 107, 320
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3165
- **Cycle life:** High



### Main applications

Polishing discs, reusable drapes and gowns, cardboard trays, carpet, seat insert.

Other sewable applications, those requiring high shear strength or high temperature resistance.



VELCRO® Brand

## Hook 839

- **Base material:** Polyamide 12 / Without backing
- **Standard colours:** Black
- **Standard widths (mm):** 107, 320
- **Standard put-ups:** 50m rolls (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3165
- **Cycle life:** High



### Main applications

Polishing discs, reusable drapes & gowns, airbag, bike helmets.

Other applications requiring high sewing resistance or high frequency weldability.



VELCRO® Brand

## Hook 736

- **Base material:** Polyamide 6.6 / Backing: Polyester (Velour 3200)
- **Standard colours:** Black
- **Standard widths (mm):** 320
- **Standard put-ups:** 125m rolls
- **Suggested mating component:** Loop 001
- **Cycle life:** High



### Main applications

Polishing discs, moulding.

Other applications requiring high shear strength or good adhesion.




VELCRO® Brand

## Hook 819

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polypropylene / Without backing
- **Standard colours:** Natural
- **Standard widths (mm):** 20, 25, 30
- **Standard put-ups:** Spools
- **Suggested mating component:** Velour 3905, FNL 251
- **Cycle life (FNL 251):** Low



### Main applications

Surgical gowns and drapes, baby and incontinence diapers, other disposable applications.

Applications requiring ultrasonic weldability.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK & WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM & LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK & LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK & NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001 COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165 COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY & GOVERNMENT



PACKAGING & MATERIALS HANDLING



PERSONAL CARE




TRANSPORTATION



SPECIALTIES

VELCRO® Brand  
Hook 798

- **Base material:** Polypropylene / Backing: Polypropylene (Nonwoven)
- **Standard colours:** Blue
- **Standard widths (mm):** 107
- **Standard put-ups:** 50m rolls
- **Suggested mating component:** Velour 3905, Velour 3969, FNL 403
- **Cycle life (FNL 403):** Low



Main applications

Industrial uses, toys.  
Other applications requiring high shear or compatibility with PS adhesives.



VELCRO® Brand  
Hook 847

- **Base material:** Polypropylene / Without backing
- **Standard colours:** Natural
- **Standard widths (mm):** 107, 160, 165
- **Standard put-ups:** 50m rolls and spools (standard), 25m rolls (adhesive)
- **Suggested mating component:** Velour 3905, Velour 3969, FNL 403
- **Cycle life (FNL 403):** Low



Main applications

Colostomy bags, baby and incontinence diapers, disposable applications.  
Other applications requiring engagement onto nonwoven surfaces.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		


APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand  
**PRESS-LOK® 731 (10mm PS-32)**

- **Base material:** Polypropylene / Without backing
- **Standard colours:** Natural
- **Standard widths (mm):** 10
- **Standard put-ups:** 50m rolls (adhesive)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium



**Main applications**

Medical pouches, stationery, promotional gift.



VELCRO® Brand  
**PRESS-LOK® 241 (PS-30)**

★★★★★  
MADE IN USA  
★★★★★

- **Base material:** Polyethylene / Without backing
- **Standard colours:** Natural
- **Standard widths (mm):** 110
- **Standard put-ups:** 548.64m (600 yd)
- **Suggested mating components:** Self-engaging
- **Cycle life:** High



**Main applications**

Panel attachment, signals, stationery, rigid packaging.



**CHARACTERISTICS**

**TYPES OF ENGAGEMENT**



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

**PLASTIC HOOK SHAPES**



**ADHESIVES & FRT TREATMENTS**



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

**SPECIAL CHARACTERISTICS**



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

**PRINTING OPTIONS**



CUSTOMIZED PRINTING

**COLOURS**



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

**APPLICATIONS**



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION



SPECIALTIES



VELCRO® Brand

# Self-engaging Hook & Loop Tapes



VELCRO® Brand  
Self-engaging  
Hook & Loop Tapes

VELCRO® Brand

## Double Face 200

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 25, 40
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** Medium



### Main applications

Cable management, orthopaedics, automotive accessories, bundling, sports.

Other applications requiring a high temperature, chemical resistance or no product delamination



VELCRO® Brand

## Back to Back Hook & Loop

- **Base material:** Polyamide
- **Standard colours:** Hook 088 & Loop 001 colour chart
- **Standard widths (mm):** 16, 20, 23, 25, 30, 38, 46, 50, 100, 125
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** High



### Main applications

Cable management, orthopaedics, sports, straps, umbrellas.

Other applications requiring high cycle life and flexibility.



VELCRO® Brand

## ONE-WRAP® 29

- **Base material:** Polypropylene (Hook) / Backing: Polyamide (Velour 3800)
- **Standard colours:** Black, white, yellow, green, blue, red
- **Standard widths (mm):** 10, 13, 16, 20, 25, 30, 38, 50, 107
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** Medium



### Main applications

Cable management, bandages, materials handling, adjustable straps, gardening, fishing equipment, leisure activities.

Other applications requiring a strong and durable self-engaging fastener.



VELCRO® Brand

## BUNDLE TIE

- **Base material:** Polypropylene (Hook) / Backing: Polyester (Nonwoven 3310)
- **Standard colours:** Moss green
- **Standard widths (mm):** 10, 20
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** Low



### Main applications

Agriculture, gardening, straps.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

## FLEX-ZONE™ Hook 703

- **Base material:** Polypropylene (Hook) / Backing: Polyamide (Velour 3610)
- **Standard colours:** Black (Hook) / White (Backing)
- **Standard widths (mm):** 200 (overall) / 30 (Hook lane)
- **Standard put-ups:** 50m rolls (pre-cut straps)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium / Low




### Main applications


Materials handling, electrical wires, assembly straps.  
Other disposable applications requiring a self-engaging fastener.




Customised length from 200 to 550 mm




Minimum strap length




Maximum strap length



Some strap length options



Pre-cut straps



Pre-cut straps in rolls

Pre-cut strap

VELCRO® Brand

## FLEX-ZONE™ Hook 796

- **Base material:** Polypropylene (Hook) / Backing: Polyamide (Velour 3905)
- **Standard colours:** Black (Hook) / White (Backing), Black (Hook) / Grey (Backing)
- **Standard widths (mm):** 200, 300 (overall) / 15 (Hook lane)
- **Standard put-ups:** 51m rolls, 91m rolls (pre-cut straps or pieces)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium / Low




### Main applications


Materials handling, electrical wires, harness protection, assembly straps.  
Other disposable applications requiring a self-engaging fastener.




Customised length from 200 to 550 mm



Minimum strap length




Maximum strap length




Some strap length options



Straps




Pre-cut straps




Pre-cut straps in rolls

Pre-cut strap

Pieces



Pre-cut pieces



Pre-cut pieces in rolls

Pre-cut piece

## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION





SPECIALTIES

VELCRO® Brand  
**FLEX-ZONE™ Hook 797**

- **Base material:** Polypropylene (Hook) / Backing: Polyester (Nonwoven)
- **Standard colours:** Natural (Hook) / White (Backing)
- **Standard widths (mm):** 235 (overall) / 10 (Hook lane)
- **Standard put-ups:** 60m rolls (pre-cut pieces)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium / Low




**Main applications**  
Materials handling, electrical wires, harness protection.  
Other disposable applications requiring a self-engaging fastener.



**CHARACTERISTICS**


**TYPES OF ENGAGEMENT**




**PLASTIC HOOK SHAPES**




**ADHESIVES & FRT TREATMENTS**




**SPECIAL CHARACTERISTICS**



**PRINTING OPTIONS**



**COLOURS**



**APPLICATIONS**





VELCRO® Brand



# FLEX-ZONE™ Hook 898

- **Base material:** Polypropylene (Hook) / Backing: Polyamide (Velour 3905)
- **Standard colours:** Natural (Hook) / White (Backing)
- **Standard widths (mm):** 200 (overall) / 12 (Hook lane)
- **Standard put-ups:** 75m rolls (pre-cut pieces)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium / Low




### Main applications

Materials handling, electrical wires, harness protection.  
Other disposable applications requiring a self-engaging fastener.



Pre-cut pieces



Pre-cut pieces in rolls

Pre-cut piece

VELCRO® Brand

# OMNI-TAPE®

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 20, 25, 50
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** High



### Main applications

High quality apparel, leather jackets, orthopaedic immobilizers, sports.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION




SPECIALTIES



VELCRO® Brand

## Side by Side Standard

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 50, 80
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** High



### Main applications

Plasters, furnishing covers.



VELCRO® Brand

## Side by Side (PS-14)

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 50
- **Standard put-ups:** 25m rolls
- **Suggested mating component:** Self-engaging
- **Cycle life:** High



### Main applications

Cable guide, upholstery.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

# Specialties



VELCRO® Brand

## Back to Back Velour 3165

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 20, 25, 30, 38, 50, 1300
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Hook 088, Hook 805
- **Cycle life (Hook 805):** Medium



### Main applications

Orthopaedics.



VELCRO® Brand

## VELWRAP®

★★★★★  
MADE IN USA  
★★★★★

- **Base material:** Polyamide (Loop 001) / Polyamide (Velour 3165)
- **Standard colours:** Black, white
- **Standard widths (mm):** 25, 30, 38, 50
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Hook 088, Hook 805
- **Cycle life (Hook 088):** High



### Main applications

Orthopaedic immobilizers (shoulder).



VELCRO® Brand

## EVAPTEX™

DELETED PRODUCT

- **Base material:** Polyamide / Polyester
- **Standard colours:** Black / grey, white / blue
- **Standard widths (mm):** 270 (50")
- **Standard put-ups:** 36.58m (40yd) rolls
- **Suggested mating components:** Hook 088, Hook 805
- **Cycle life (Hook 805):** Low



### Main applications

Heagears, tracheostomy straps.

Other applications requiring high breathability and skin friendliness.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION



SPECIALTIES



VELCRO® Brand  
**Hook 848**

- **Base material:** Vinyl
- **Standard colours:** White
- **Standard widths (mm):** 304.8 (12")
- **Standard put-ups:** 45.72m (50 yd) rolls
- **Suggested mating components:** Loop 3607
- **Cycle life:** Medium



\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*



**Main applications**

Blood pressure cuffs, vinyl pouches.  
Other applications requiring welding onto vinyl substrates.



VELCRO® Brand  
**Loop 3607**

- **Base material:** Polyamide / Backing: PVC film
- **Standard colours:** White
- **Standard widths (mm):** 304.8 (12"), 1,270 (50")
- **Standard put-ups:** 45.72m (50 yd) rolls
- **Suggested mating components:** Hook 848
- **Cycle life:** Medium



\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*










**Main applications**

Blood pressure cuffs, vinyl pouches.  
Other weldable applications onto vinyl substrates.



**CHARACTERISTICS**



**TYPES OF ENGAGEMENT**

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		






**PLASTIC HOOK SHAPES**




**ADHESIVES & FRT TREATMENTS**

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		




**SPECIAL CHARACTERISTICS**

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

**PRINTING OPTIONS**

	CUSTOMIZED PRINTING
---	---------------------

**COLOURS**

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

**APPLICATIONS**

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand

## Hook 088 Antibacterial\*

- **Base material:** Polyamide
- **Standard colours:** Black, white, grey
- **Standard widths (mm):** 25, 50, 100, 150
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Loop 001 Antibacterial
- **Cycle life:** High



### Main applications

Emergency products.  
Other multipatient use applications.



VELCRO® Brand

## Loop 001 Antibacterial\*

- **Base material:** Polyamide
- **Standard colours:** Black, white, grey
- **Standard widths (mm):** 25, 50, 100, 150
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Hook 088 Antibacterial, Hook 805 Antibacterial
- **Cycle life (Hook 088 Antibacterial):** High



### Main applications


Emergency products.  
Other multipatient use applications.



VELCRO® Brand

## Hook 805 Antibacterial\*

- **Base material:** Polyamide 12 / Without backing
- **Standard colours:** Black, white, grey
- **Standard widths (mm):** 25, 50, 100, 150
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Loop 001 Antibacterial
- **Cycle life:** High



### Main applications

Emergency products.  
Other multipatient use applications.



\*Prototype; products under development.

## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS


	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand  
**PRESS-LOK® 775**

- **Base material:** Polyethylene
- **Standard colours:** Natural
- **Standard widths (mm):** 32 (2x16)
- **Standard put-ups:** 1,828m (6,000')
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium



\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*




**Main applications**

Food and non-food flexible packaging, to be welded onto PE films.



VELCRO® Brand  
**PRESS-LOK® 776**

- **Base material:** Polyethylene
- **Standard colours:** Natural
- **Standard widths (mm):** 32 (2x16)
- **Standard put-ups:** 1,219m (4,000')
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium



\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*



**Main applications**

Ideal for powder products, food and non-food flexible packaging, to be welded onto PE films.



VELCRO® Brand  
**PRESS-LOK® 779**

- **Base material:** Polyethylene
- **Standard colours:** Natural
- **Standard widths (mm):** 23
- **Standard put-ups:** 1,828m (6,000')
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium



\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*



**Main applications**

Ideal for powder products, food and non-food flexible packaging, to be welded onto PE films.



**CHARACTERISTICS**

**TYPES OF ENGAGEMENT**

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

**PLASTIC HOOK SHAPES**



**ADHESIVES & FRT TREATMENTS**

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

**SPECIAL CHARACTERISTICS**

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

**PRINTING OPTIONS**

	CUSTOMIZED PRINTING
--	---------------------

**COLOURS**

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

**APPLICATIONS**

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES





VELCRO® Brand

Touch & Seal Closure (Weldable)

Hook 832 / Velour 3314

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*

- **Base material:** Polyethylene (Hook 832), polyamide (Loop 3314)
- **Standard colours:** Natural
- **Standard widths (mm):** 9.5
- **Standard put-ups:** Spools
- **Suggested mating components:** NA
- **Cycle life:** Low



Main applications

Bags, closure to be welded onto PE films for non-food applications.



VELCRO® Brand

Touch & Seal Closure (PS-35)

Hook 830 / Velour 3318

- **Base material:** Polypropylene (Hook 830), polyamide (Loop 3318)
- **Standard colours:** White
- **Standard widths (mm):** 10
- **Standard put-ups:** Spools
- **Suggested mating components:** NA
- **Cycle life:** Low



Main applications

Bags, closure with pressure sensitive adhesive for non-food applications.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand  
Hook 701

- **Base material:** Polypropylene (Hook) / Backing: Polypropylene (Nonwoven)
- **Standard colours:** Natural
- **Standard widths (mm):** 90 (2x15 Hook lanes)
- **Standard put-ups:** 1,400m rolls
- **Suggested mating components:** Velour 3905, FNL 251
- **Cycle life (Velour 3905):** Low

\*\*\*\*\*  
MADE IN USA  
\*\*\*\*\*



Main applications

Baby and adult diapers.  
Other applications requiring hook integrated into nonwoven materials.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand  
DCS 20

- **Base material:** Polyamide 6.6 (Hook) / Backing: Polyester (Velour 3200) / Cover: PVC, Fe
- **Standard colours:** Black
- **Standard widths (mm):** Customised shapes
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop 001
- **Cycle life:** High



Main applications

Moulding, automotive seating.



VELCRO® Brand  
DCS 24

- **Base material:** Polyamide 6.6 (Hook) / Backing: Polyester (Velour 3200) / Cover: PVC, Fe
- **Standard colours:** Black
- **Standard widths (mm):** Customised shapes
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto Standard
- **Cycle life:** High / Medium



Main applications

Moulding, automotive seating.



VELCRO® Brand  
DCS 36

- **Base material:** Polyamide 6.6 (Hook) / Backing: Polyester (Velour 3200) / Cover: PVC, Fe
- **Standard colours:** Black
- **Standard widths (mm):** Customised shapes
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto Standard
- **Cycle life:** High



Main applications

Moulding, automotive seating.



VELCRO® Brand  
DCS 36 NW

- **Base material:** Polyamide 6.6 (Hook) / Backing: Polyester (Velour 3200) / Cover: PVC, Fe
- **Standard colours:** Black
- **Standard widths (mm):** Customised shapes
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto Standard
- **Cycle life:** High



Main applications

Moulding, automotive seating.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



VELCRO® Brand

MIGG 15

- **Base material:** Polyamide (Hook) / polyurethane (gasket)
- **Standard colours:** Black / blue
- **Standard widths (mm):** 15
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto MIGG, Loop Auto Standard
- **Cycle life:** Medium



**Main applications**  
Seat hook tie down.

VELCRO® Brand

MIGG 15-1

- **Base material:** Polyamide (Hook) / polyurethane (gasket)
- **Standard colours:** Black / grey
- **Standard widths (mm):** 15
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto MIGG, Loop Auto Standard
- **Cycle life:** Medium



**Main applications**  
Seat hook tie down.

VELCRO® Brand

HF3

★★★★★★  
MADE IN CANADA  
★★★★★★

- **Base material:** Polyamide (Hook) / polyurethane (gasket)
- **Standard colours:** Black / blue
- **Standard widths (mm):** 12, 15
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto MIGG
- **Cycle life:** Medium / Low



**Main applications**  
Automotive seating.

VELCRO® Brand

Flex-MIGG

★★★★★★  
MADE IN CANADA  
★★★★★★

- **Base material:** Polyamide (Hook) / polyurethane (gasket)
- **Standard colours:** Black / blue, black / green
- **Standard widths (mm):** 12, 15
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto MIGG
- **Cycle life:** Low



**Main applications**  
Automotive seating.

CHARACTERISTICS

TYPES OF ENGAGEMENT

WOVEN HOOK & WOVEN LOOP

SELF-ENGAGING HOOK

WOVEN MUSHROOM & LOOP/VELOUR

SELF-ENGAGING HOOK & LOOP

PLASTIC HOOK & LOOP/VELOUR

MAGNETIC ATTRACTION

PLASTIC HOOK & NONWOVEN LOOP

PLASTIC HOOK SHAPES

ADHESIVES & FRT TREATMENTS

AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE

AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)

WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD

SPECIAL CHARACTERISTICS

COLOUR FASTNESS

WEATHER RESISTANCE

SHRINKAGE RESISTANCE

ANTIBACTERIAL

WASHABLE AT HIGH TEMPERATURES

PRINTING OPTIONS

CUSTOMIZED PRINTING

COLOURS

HOOK 088 & LOOP 001 COLOUR CHART

VEL-LOC® 085 & VELOUR 3165 COLOUR CHART

AVAILABLE COLOURS

APPLICATIONS

APPAREL

CONSTRUCTION

MEDICAL

MILITARY & GOVERNMENT

PACKAGING & MATERIALS HANDLING

PERSONAL CARE

TRANSPORTATION

SPECIALTIES

VELCRO® Brand

4Gi


- **Base material:** Polyamide
- **Standard colours:** Black
- **Standard widths (mm):** 12
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Loop Auto MIGG
- **Cycle life:** Medium / Low

\*\*\*\*\*  
MADE IN CANADA  
\*\*\*\*\*  
NAME CHANGED

**Main applications**  
Automotive seating.

## Loop Auto Standard


- **Base material:** Polyamide
- **Standard colours:** Natural
- **Standard widths (mm):** 33, 39
- **Standard put-ups:** Spools
- **Suggested mating components:** DCS 36, MIGG 15, MIGG 15-1
- **Cycle life:** Medium



**Main applications**  
Seat loop tie down.

## Loop Auto MIGG

- **Base material:** Polyester
- **Standard colours:** Natural
- **Standard widths (mm):** 40
- **Standard put-ups:** Spools
- **Suggested mating components:** MIGG 15, MIGG 15-1, HF3, Flex-MIGG, 4Gi
- **Cycle life:** Medium



**Main applications**  
Automotive seating.

### CHARACTERISTICS

#### TYPES OF ENGAGEMENT

WOVEN HOOK & WOVEN LOOP	SELF-ENGAGING HOOK
WOVEN MUSHROOM & LOOP/VELOUR	SELF-ENGAGING HOOK & LOOP
PLASTIC HOOK & LOOP/VELOUR	MAGNETIC ATTRACTION
PLASTIC HOOK & NONWOVEN LOOP	

#### PLASTIC HOOK SHAPES

00

00

00

00

BURR

#### ADHESIVES & FRT TREATMENTS

AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE	AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD	

#### SPECIAL CHARACTERISTICS

COLOUR FASTNESS	WEATHER RESISTANCE
SHRINKAGE RESISTANCE	ANTIBACTERIAL
WASHABLE AT HIGH TEMPERATURES	

#### PRINTING OPTIONS

ABC

CUSTOMIZED PRINTING

#### COLOURS

H&L	HOOK 088 & LOOP 001 COLOUR CHART	AVAILABLE COLOURS
V&V	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART	

### APPLICATIONS

APPAREL	CONSTRUCTION	MEDICAL	MILITARY & GOVERNMENT
PACKAGING & MATERIALS HANDLING	PERSONAL CARE	TRANSPORTATION	SPECIALTIES

VELCRO® Brand

# Burr Hook

- **Base material:** Polyamide
- **Standard colours:** Black
- **Standard widths (mm):** 50
- **Standard put-ups:** Bulk pieces
- **Suggested mating components:** Cut loop carpets
- **Cycle life:** High

\*\*\*\*\*  
MADE IN CANADA  
\*\*\*\*\*



## Main applications

Carpet fixation.



VELCRO® Brand

# Velour PS-07\*

- **Base material:** Polyester (Velour 3146)
- **Standard colours:** Black
- **Standard widths (mm):** 15, 19, 1400
- **Standard put-ups:** 5m, 7.5m, 15m rolls
- **Suggested mating components:** NA
- **Cycle life:** NA



## Main applications

Antirattle applications.



\*This is just a sample. This product is produced without a paper release liner.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE



TRANSPORTATION




SPECIALTIES






VELCRO® Brand

# Converted Products



VELCRO® Brand  
**VELCOIN®** example  
Hook 088 / Loop 001

- **Base material:** Polyamide (Hook 088 & Loop 001)
- **Standard colours:** Black, white
- **Standard widths (mm):** 13, 15, 19, 22, 35, 45
- **Standard put-ups:** 25m rolls
- **Cycle life:** High




**Main applications**

Apparel, office folders, stationery, rigid packaging & trays.




VELCRO® Brand  
**VELSQUARE®** example  
Hook 820 / Loop 001

- **Base material:** Polyamide 6.6 (Hook 820) & polyamide (Loop 001)
- **Standard colours:** White
- **Standard widths (mm):** 21x21
- **Standard put-ups:** 25m rolls
- **Cycle life:** High



**Main applications**

Apparel, office folders, stationery, rigid packaging & trays.



CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

PLASTIC HOOK SHAPES



ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand

## Easy Coin (PS-32, 35x12mm)

Hook 830 / Velour 3969

- **Base material:** Polypropylene (Hook 830) / polyamide (Velour 3969)
- **Standard colours:** Black, white
- **Standard widths (mm):** 35x12
- **Standard put-ups:** 50m rolls (3,333 pieces approx.)
- **Cycle life:** Medium / Low



### Main applications

Apparel, bag closure, office folders, envelopes, DVD boxes, promotional, rigid packaging & trays.



VELCRO® Brand

## Easy Coin (PS-30, 35x35mm)

Hook 866 / Velour 3165

- **Base material:** Polypropylene (Hook 866), polyamide (Velour 3165)
- **Standard colours:** White
- **Standard widths (mm):** 35x35
- **Standard put-ups:** 50m rolls (1,280 pieces approx.)
- **Cycle life:** High



### Main applications

Apparel, bag closure, office folders, envelopes, DVD boxes, promotional, rigid packaging & trays.



VELCRO® Brand

## PRESS-LOK® 731 (PS-32, 20x10mm)

- **Base material:** Polypropylene
- **Standard colours:** Natural
- **Standard widths (mm):** 20x10
- **Standard put-ups:** 50m rolls (3,850 pieces approx.)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium



### Main applications

Stationery, gift boxes.



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES



# Straps

Hook 088 / Loop 001

- **Base material:** Polyamide
- **Standard colours:** Hook 088 & Loop 001 colour chart
- **Standard widths (mm):** 20, 25, 30, 38, 50  
Round Hook tip length (mm): 55, 70, 100  
Straight Hook tip length (mm): from 35 to 100
- **Standard put-ups:** In bulk, customised
- **Suggested mating components:** Self-engaging
- **Cycle life:** High



## Main applications

Cable management, tourniquet straps, packaging, metallic trolley closure, automotive accessories (trunk), sports.  
Custom manufactured including ultrasonic welding and stitching.



VELCRO® Brand  
**VELSTRAP®**



VELCRO® Brand  
**Facestrap**



VELCRO® Brand  
**Backstrap**



## CHARACTERISTICS

### TYPES OF ENGAGEMENT



WOVEN HOOK  
& WOVEN LOOP



SELF-ENGAGING HOOK



WOVEN MUSHROOM  
& LOOP/VELOUR



SELF-ENGAGING HOOK & LOOP



PLASTIC HOOK  
& LOOP/VELOUR



MAGNETIC ATTRACTION



PLASTIC HOOK  
& NONWOVEN LOOP

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS



AVAILABLE WITH PRESSURE  
SENSITIVE ADHESIVE



AVAILABLE WITH F.R.T. TREATMENT  
F.R.T. treatment (meets FAR 25.853, MVSS 302)



WELDABLE BY HEAT, SOLVENT  
OR REACTIVATION METHOD

### SPECIAL CHARACTERISTICS



COLOUR FASTNESS



WEATHER RESISTANCE



SHRINKAGE RESISTANCE



ANTIBACTERIAL



WASHABLE AT HIGH  
TEMPERATURES

### PRINTING OPTIONS



CUSTOMIZED PRINTING

### COLOURS



HOOK 088 & LOOP 001  
COLOUR CHART



AVAILABLE COLOURS



VEL-LOC® 085 & VELOUR 3165  
COLOUR CHART

## APPLICATIONS



APPAREL



CONSTRUCTION



MEDICAL



MILITARY &  
GOVERNMENT



PACKAGING  
& MATERIALS  
HANDLING



PERSONAL  
CARE




TRANSPORTATION



SPECIALTIES


VELCRO® Brand  
**ONE-WRAP® Strap**

- **Base material:** Polypropylene (Hook) / Backing: Polyamide (Velour 3800)
- **Standard colours:** Black, white, yellow, green, blue, red
- **Standard widths (mm):** 10, 13, 16, 20, 25, 30, 38, 50, 107
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium




Pre-cut straps in spools


HOW TO USE IT




1




2




3



4



5



**Main applications**


Electrical wires, raw materials bundling.



SIZE	STRAPS / SPOOL	STRAP SHAPE
13x200mm	750	13x200 7mm
20x150mm	1,000	20x150 13mm
20x200mm	750	20x200 13mm
20x230mm	650	20x230 13mm
20x330mm	450	20x330 13mm
25x300mm	500	25x300 17mm
10x150mm	1,200	10x150 10mm
12x210mm	700	12x210 12mm

**CHARACTERISTICS**


**TYPES OF ENGAGEMENT**




**PLASTIC HOOK SHAPES**




**ADHESIVES & FRT TREATMENTS**




**SPECIAL CHARACTERISTICS**



**PRINTING OPTIONS**



**COLOURS**



**APPLICATIONS**




VELCRO® Brand  
**FLEX-ZONE™ Strap example**

- **Base material:** Polypropylene (Hook) / Backing: polyamide (Velour 3610)
- **Standard colours:** Black (Hook) / White (Backing)
- **Standard widths (mm):** 200 (Overall) / 30 (Hook lane)
- **Standard put-ups:** 50m rolls (Pre-cut straps)
- **Suggested mating components:** Self-engaging
- **Cycle life:** Medium / Low




**Main applications**


Tourniquet straps, urinary straps, electrical wires assembling straps.



**Customised length from 200 to 550 mm**




**HOW TO USE IT**



**CHARACTERISTICS**

**TYPES OF ENGAGEMENT**




**PLASTIC HOOK SHAPES**




**ADHESIVES & FRT TREATMENTS**




**SPECIAL CHARACTERISTICS**



**PRINTING OPTIONS**



**COLOURS**



**APPLICATIONS**





VELCRO® Brand


## System Strap



### Main applications

Orthopaedics, automotive accessories.

### HOW TO USE IT



## Buckle supplement

- **Base material:** Polyamide 12 (Hook 805)
- **Standard colours:** Black
- **Standard widths (mm):** 25, 38, 50
- **Standard put-ups:** Bulk pieces
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium



## Hook tip

- **Base material:** Polyamide (Hook 805)
- **Standard colours:** Black
- **Standard widths (mm):** 25, 38, 50
- **Standard put-ups:** Bulk pieces
- **Suggested mating component:** Velour 3165
- **Cycle life:** Medium



VELCRO® Brand

## Back to Back Velour 3165

- **Base material:** Polyamide
- **Standard colours:** Black, white
- **Standard widths (mm):** 20, 25, 30, 38, 50, 1300
- **Standard put-ups:** 25m rolls
- **Suggested mating components:** Hook 088, Hook 805
- **Cycle life (Hook 805):** Medium



## CHARACTERISTICS

### TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		

### PLASTIC HOOK SHAPES



### ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		

### SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

### PRINTING OPTIONS

	CUSTOMIZED PRINTING
--	---------------------

### COLOURS








	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		

## APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

CHARACTERISTICS

TYPES OF ENGAGEMENT

	WOVEN HOOK & WOVEN LOOP		SELF-ENGAGING HOOK
	WOVEN MUSHROOM & LOOP/VELOUR		SELF-ENGAGING HOOK & LOOP
	PLASTIC HOOK & LOOP/VELOUR		MAGNETIC ATTRACTION
	PLASTIC HOOK & NONWOVEN LOOP		






PLASTIC HOOK SHAPES




ADHESIVES & FRT TREATMENTS

	AVAILABLE WITH PRESSURE SENSITIVE ADHESIVE		AVAILABLE WITH F.R.T. TREATMENT F.R.T. treatment (meets FAR 25.853, MVSS 302)
	WELDABLE BY HEAT, SOLVENT OR REACTIVATION METHOD		




SPECIAL CHARACTERISTICS

	COLOUR FASTNESS		WEATHER RESISTANCE
	SHRINKAGE RESISTANCE		ANTIBACTERIAL
	WASHABLE AT HIGH TEMPERATURES		

PRINTING OPTIONS

	CUSTOMIZED PRINTING
---	---------------------

COLOURS

	HOOK 088 & LOOP 001 COLOUR CHART		AVAILABLE COLOURS
	VEL-LOC® 085 & VELOUR 3165 COLOUR CHART		


APPLICATIONS

	APPAREL		CONSTRUCTION		MEDICAL		MILITARY & GOVERNMENT
	PACKAGING & MATERIALS HANDLING		PERSONAL CARE		TRANSPORTATION		SPECIALTIES

VELCRO® Brand  
LogiStrap®

- Base material: Polyamide
- Standard widths (mm): 50
- Suggested mating components: Self-engaging
- Cycle life: High

- Standard colours and lengths:




Main applications

Pallet fixation, fastening system, warehouse management.



HOW TO USE IT



# Complementary information





VELCRO® Brand

# HOOK 088 & LOOP 001




Woven hook  
& woven loop



**010**  
white

white  
RAL 9003




**330**  
black

Pantone Process black EC  
RAL 9004



**015**  
natural

Pantone 7499 EC  
RAL 9001



**750**  
yellow

Pantone 109 EC  
RAL 1021



**480**  
pink

Pantone 502 EC  
RAL 3015




**520**  
orange

Pantone 1655 C  
RAL 2004




**530**  
red

Pantone 186 EC  
RAL 3020



**515**  
burgundy

Pantone 7421 EC  
RAL 3005



**215**  
beige

Pantone 729 EC  
RAL 1001




**220**  
leatherbrown

Pantone 731 EC  
RAL 8024




**250**  
darkbrown

Pantone 7533 EC  
RAL 8019




**495**  
skin

Pantone 727 EC  
RAL 1015




**650**  
green

Pantone 555 EC  
RAL 6005




**630**  
army green

Pantone 5743 EC  
RAL 6020



**640**  
nato

Pantone 448 EC  
RAL 6014




**315**  
light grey

Pantone 408 EC  
RAL 7046




**310**  
dark grey

Pantone Cool  
Gray 11 EC  
RAL 7015




**112**  
light blue

Pantone 2915 EC  
RAL 5024




**131**  
royal blue

Pantone 287 EC  
RAL 5005




**145**  
navy blue

Pantone 296 EC  
RAL 5004




**126**  
violet


Pantone 2685 EC  
RAL 4005




**454**  
fluor fuschia



**777**  
fluor yellow



**656**  
fluor green



**555**  
fluor orange


**NOTE:** Please note that all colour pictures, PANTONE and RAL codes are for reference only.  
The colours are defined under Illuminant D65 and its specification is max dE 2.

VELCRO® Brand

# VEL-LOC® 085 & VELOUR 3165




Woven mushroom  
& knitted loop



**010**  
white

white  
RAL 9003



**330**  
black

Pantone Process black EC  
RAL 9004




**200**  
beige

Pantone 4755 EC  
RAL 1013




**250**  
darkbrown

Pantone 476 EC  
RAL 8017



**230**  
khaki

Pantone 448 EC  
RAL 6014




**320**  
grey

Pantone 423 EC  
RAL 7042




**530**  
red

Pantone 186 EC  
RAL 3020




**650**  
green

Pantone 3435 EC  
RAL 6005



**130**  
royal blue

Pantone 288 EC  
RAL 5002





**145**  
navy blue

Pantone 289 EC  
RAL 5011

**NOTE:** Please note that all colour pictures, PANTONE and RAL codes are for reference only.  
The colours are defined under Illuminant D65 and its specification is max dE 2.

# Shapes

PLASTIC TAPES ARE ENGINEERED MOLDED HOOK SHAPES DESIGNED FOR SUPERIOR PERFORMANCE CHARACTERISTICS WITH A WIDE VARIETY OF WOVEN, KNITTED OR NONWOVEN LOOP TAPES



**NOTE:** For further information, please see VELCRO® Brand Plastic Hook Tapes brochure.



## Semipermanent

### Pressure Sensitive Adhesives

PRESSURE SENSITIVE ADHESIVES ARE POPULAR BECAUSE OF THEIR EASE OF APPLICATION - SIMPLY REMOVE THE RELEASE LINER AND PRESS THE TAPE IN PLACE

#### Application method



Peel away



Place



Press

## Permanent

### Heat or Solvent Activated Adhesives

HEAT AND SOLVENT ACTIVATED ADHESIVES PROVIDE THE STRONGEST BOND TO THE TAPE ITSELF AND CAN BE MADE READY FOR INSTANT BONDING BY MANY METHODS OF APPLICATION


#### Mechanical



Ultrasonics



High frequency



Hot air



Ironing

#### Chemical


Solvent  
(acetone, M.E.K.)

## Recommended substrates

SUBSTRATE/ PRODUCT	SEMI-PERMANENT						PERMANENT		
	PS-14	PS-15	PS-18	PS-19	PS-30	PS-51	PC-20	PC-28	PS-47
ALUMINIUM ANODISED	+	+	+	+	+	+	-	-	-
GLASS	+	+	+	+	+	+	+	+	-
PAINTED WALLBOARD	+	+	+	+	+	+	+	+	-
PLYWOOD	+	+	+	+	+	+	+	+	-
POLYESTER	+	+	+	+	+	+	+	+	-
POLYETHYLENE	=	+	-	+	+	=	=	=	-
POLYPROPYLENE	=	+	-	+	+	=	=	=	-
STAINLESS STEEL	+	+	+	+	+	+	+	+	-
VINYL	-	-	+	-	-	-	+	+	-
FORMICA (POLISHED SIDE)	+	+	+	+	+	+	-	-	-
CARDBOARD	=	=	+	=	=	=	=	=	-
POLYACRYLIC	+	+	+	+	+	=	+	+	-
FABRICS	=	=	=	=	=	=	+	+	+






- Not available    = Good    + Recommended



## Recommended tapes

TAPE/ PRODUCT	SEMI-PERMANENT						PERMANENT		
	PS-14	PS-15	PS-18	PS-19	PS-30	PS-51	PC-20	PC-28	PS-47
VELCRO® Brand Hook 088 VELCRO® Brand Loop 001	+	+	+	+	+	+	+	+	+
VEL-LOC® (Mushrooms hooks)	+	+	+	+	+	+	+	+	-
VELCRO® Brand Velours	+	+	-	+	+	+	-	-	-
VELCRO® BRAND Plastic Hooks (Polypropylene & Polyethylene)	=	=	-	+	=	=	-	-	-
VELCRO® BRAND Plastic Hooks (Polyamide 12)	+	+	+	+	+	+	-	-	-
VELCRO® BRAND Plastic Hooks (Polyamide 6.6)	+	+	+	+	+	+	+	+	-

- Not available    = Good    + Recommended


NOTE: For further information, please see VELCRO® Brand Adhesives brochure.



JOINTS	
 <p><b>WELDING</b></p>	<p><b>Ultrasonic welding</b></p> <ul style="list-style-type: none"> <li>• <b>Welding area (mm):</b> 9, 12</li> <li>• <b>Standard tape width (mm):</b> Up to 50</li> <li>• <b>Materials:</b> Multiple combinations</li> <li>• <b>Resistance:</b> Medium</li> </ul>
	<p><b>Line</b></p> <div> <div> <ul style="list-style-type: none"> <li>• <b>Sewing area:</b> Continuous sewing length</li> <li>• <b>Materials:</b> Multiple combinations</li> <li>• <b>Resistance:</b> Medium-high</li> </ul> </div> <div>  </div> </div>
	<p><b>Zig-zag</b></p> <div> <div> <ul style="list-style-type: none"> <li>• <b>Sewing area:</b> Continuous sewing length</li> <li>• <b>Materials:</b> Multiple combinations</li> <li>• <b>Resistance:</b> Medium-high</li> </ul> </div> <div>  </div> </div>
 <p><b>SEWING</b></p>	<p><b>Customised</b></p> <div> <div> <ul style="list-style-type: none"> <li>• <b>Sewing area:</b> Up to 210 x 100mm sewing area</li> <li>• <b>Materials:</b> Multiple combinations</li> <li>• <b>Resistance:</b> Medium-high</li> </ul> </div> <div>  </div> </div>

PRINTING METHODS	Type of printing	Standard colour printing*	Standard printing material	Standard printing length/area	Standard printing tape width
 FLEXOGRAPHY	Continuous	1 single colour 	On back side of woven tapes. On knitted tapes	Up to 320mm	Up to 50mm




 HOT STAMPING	Continuous or single printing of bulk pieces	1 single colour 	On back side of woven tapes. On knitted tapes	Up to 90 x 90mm	Up to 90mm
---	--	--	--	-----------------	------------



 PAD PRINTING	Single printing of bulk pieces	1 single colour 	On back side of woven tapes. On knitted tapes	Up to 50 x 90mm	Up to 50mm
---	--------------------------------	--	--	-----------------	------------



 HEAT TRANSFER	Single printing of bulk pieces	Multiple colours & Design combinations	On back side of woven tapes	Up to 140 x 50mm	Up to 50mm
--	--------------------------------	--	-----------------------------	------------------	------------



**NOTE:** Please take that printed samples are for reference only.  
Pad printing sample has been made with two cycles.

\*Other colours under request  
1 Gold colour  
2 Silver colour



Resolution





## Converting



Slitting



Scored cut



Custom manufactured straps



Pre-cut



Mated



Complete product assembly



Die cut



Perforated

## Packaging




Rolls



Sealed bag



Bundling



Spools



Blister



Bulk



Shipping boxes



Folding boxes



Customised packaging



Labels

